GGACTAATCTGTGGGAGCAGTTTATTCCAGTATCACCCAGGGTGCAGCCACACCAGGACTGT GTTGAAGGGTGTTTTTTTTTTTTTAAATGTAATACCTCCTCATCTTTTCTTCTTACACAGTG TCTGAGAACATTTACATTATAGATAAGTAGTACATGGTGGATAACTTCTACTTTTAGGAGGA $\tt CTACTCTTCTGACAGTCCTAGACTGGTCTTCTACACTAAGACACC{\color{red} \underline{ATG}}{AAGGAGTATGTG}$ CTCCTATTATTCCTGGCTTTGTGCTCTGCCAAACCCTTCTTTAGCCCTTCACACATCGCACT GAAGAATATGATGCTGAAGGATATGGAAGACACAGATGATGATGATGATGATGATGATGATG ATGATGATGAGGACAACTCTCTTTTTCCAACAAGAGGCCCAAGAAGCCATTTTTTTCCA TTTGATCTGTTTCCAATGTGTCCATTTGGATGTCAGTGCTATTCACGAGTTGTACATTGCTC AGATTTAGGTTTGACCTCAGTCCCAACCAACATTCCATTTGATACTCGAATGCTTGATCTTC AAAACAATAAAATTAAGGAAATCAAAGAAAATGATTTTAAAGGACTCACTTCACTTTATGGT CTGATCCTGAACAACAACAAGCTAACGAAGATTCACCCAAAAGCCTTTCTAACCACAAAGAA GTTGCGAAGGCTGTATCTGTCCCACAATCAACTAAGTGAAATACCACTTAATCTTCCCAAAT CATTAGCAGAACTCAGAATTCATGAAAATAAAGTTAAGAAAATACAAAAGGACACATTCAAA GGAATGAATGCTTTACACGTTTTGGAAATGAGTGCAAACCCTCTTGATAATAATGGGATAGA GCCAGGGGCATTTGAAGGGGTGACGGTGTTCCATATCAGAATTGCAGAAGCAAAACTGACCT CAGTTCCTAAAGGCTTACCACCAACTTTATTGGAGCTTCACTTAGATTATAATAAAATTTCA ACAGTGGAACTTGAGGATTTTAAACGATACAAAGAACTACAAAGGCTGGGCCTAGGAAACAA CAAAATCACAGATATCGAAAATGGGAGTCTTGCTAACATACCACGTGTGAGAGAAATACATT TGGAAAACAATAAACTAAAAAAAATCCCTTCAGGATTACCAGAGTTGAAATACCTCCAGATA ATCTTCCTTCATTCTAATTCAATTGCAAGAGTGGGAGTAAATGACTTCTGTCCAACAGTGCC AAAGATGAAGAAATCTTTATACAGTGCAATAAGTTTATTCAACAACCCGGTGAAATACTGGG AAATGCAACCTGCAACATTTCGTTGTGTTTTGAGCAGAATGAGTGTTCAGCTTGGGAACTTT GGAATG**TAA**TAATTAGTAATTGGTAATGTCCATTTAATATAAGATTCAAAAAATCCCTACATT AGTGGTAAGTCCACTGACTTATTTTATGACAAGAAATTTCAACGGAATTTTGCCAAACTATT GATACATAAGGGGTTGAGAGAAACAAGCATCTATTGCAGTTTCCTTTTTGCGTACAAATGAT CTTACATAAATCTCATGCTTGACCATTCCTTTCTTCATAACAAAAAAGTAAGATATTCGGTA TTTAACACTTTGTTATCAAGCACATTTTAAAAAGAACTGTACTGTAAATGGAATGCTTGACT TAGCAAAATTTGTGCTCTTTCATTTGCTGTTAGAAAAACAGAATTAACAAAGACAGTAATGT GAAGAGTGCATTACACTATTCTTATTCTTTAGTAACTTGGGTAGTACTGTAATATTTTTAAT CATCTTAAAGTATGATTTGATATAATCTTATTGAAATTACCTTATCATGTCTTAGAGCCCGT CTTTATGTTTAAAACTAATTTCTTAAAATAAAGCCTTCAGTAAATGTTCATTACCAACTTGA ACCTGATTTAAAAATCTCTGTAAAAACGTGTAGTGTTTCATAAAATCTGTAACTCGCATTTT AATGATCCGCTATTATAAGCTTTTAATAGCATGAAAATTGTTAGGCTATATAACATTGCCAC CACTAACAATTCTACACCAAATTGTCTCTTCAAATACGTATGGACTGGATAACTCTGAGAAA TATAAATGCTCAGAGTTCTTTATGTATTTCTTATTGGCATTCAACATATGTAAAATCAGAAA ACAGGGAAATTTTCATTAAAAATATTGGTTTGAAAT

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA34392</pre>

<subunit 1 of 1, 379 aa, 1 stop

<MW: 43302, pI: 7.30, NX(S/T): 1

Signal sequence.

amino acids 1-15

N-glycosylation site.

amino acids 281-285

N-myristoylation sites.

amino acids 129-135, 210-216, 214-220, 237-243, 270-276, 282-288

Leucine zipper pattern.

amino acids 154-176

GAAGGTCTATGCCTTGGACGAGACGTGGCACCCGGACCTAGGGCAGCCATTCGGGGTGATGCGCTGCTGTG CGCCTGCGAGGCGCCTCAGTGGGGTCGCCGTACCAGGGGCCCTGGCAGGGTCAGCTGCAAGAACATCAAACCAGA CAGTTCGGAGCGGCAGCCGAGCCGTCCTTCGAGTATCCGCGGGACCCGGAGCATCGCAGTTATAGCGACCG CGGGGAGCCAGGCGCTGAGGAGCGGGCCGTGGTGACGGCCACACGGACTTCGTGGCGCTGCTGACAGGGCCGAG GTCGCAGGCGGTGGCACGAGCCCGAGTCTCGCTGCTGCGCTCTAGCCTCCGCTTCTCTATCTCCTACAGGCGGCT AGATGGCCTGGTCTGTGGGGTGTGGCGGGCAGTGCCTCGGTTGTCTCTGCGGCTCCTTAGGGCAGAACAGCTGCA TGTGGCACTTGTGACACTCACCCTTCAGGGGAGGTCTGGGGGCCTCTCATCCGGCACCGGGCCCTGGCTGC AGAGACCTTCAGTGCCATCCTGACTCTAGAAGGCCCCCCACAGCAGGGGGGTAGGGGGCATCACCCTGCTCACTCT CAGTGACAGAGGACTCCTTGCATTTTTTGCTGCTCTTCCGAGGGCTGCTGGAACCCAGGAGTGGGGGGACTAAC CCAGGTTCCCTTGAGGCTCCAGATTCTACACCAGGGGCAGCTACTGCGAGAACTTCAGGCCAATGTCTCAGCCCA GATGGCCTGGAGTGGGCAGGCAGGCCAGGGCTGCGCATCAGTGGACACATTGCTGCCAGGAAGAGCTGCGACGT GCTGCTAGGAAATGGCTCCCTGATCTATCAGGTGCAAGTGGTAGGGACAAGCAGTGAGGTGGTGGCCATGACACT GGCCGTGGGTATCTGCCCTGGGCTGGGTGCCCGAGGGGCTCATATGCTGCTGCAGAATGAGCTCTTCCTGAACGT GGGCACCAAGGACTTCCCAGACGGAGAGCTTCGGGGGCACGTGGCTGCCCTGCCCTACTGTGGGCATAGCGCCCG CACTGTCACTGCCCACCTCCTTGGGCCTCCTGGAACGCCAGGGCCTCGGCGGCTGCTGAAGGGATTCTATGGCTC AGAGGCCCAGGGTGTGGAGGACCTGGAGCCGGAACTGCTGCGGCACCTGGCAAAAGGCATGGCCTCCCTGAT ACTGCGCCTGGAGGCGGCCGGGGCCGAGGGGGTGCGGGCGCTCGGGGCTCCGGATACAGCCTCTGCTGCGCCCCC TGTGGTGCCTGGTCTCCCGGCCCTAGCGCCCGCAAACCTGGTGGTCCTGGGCGGCCCCGAGACCCCAACACATG AGGAGAGGGCTGCTATTTTGATGGTGACCGGAGCTGGCGGGCAGCGGGTACGCGGTGGCACCCCGTTGTGCCCCC CTTTGGCTTAATTAAGTGTGCTGTCTGCACCTGCAAGGGGGGCACTGGAGAGGTGCACTGTGAGAAGGTGCAGTG TCCCCGGCTGGCCTGTGCCCAGCCTGTCCAACCCCACCGACTGCTGCAAACAGTGTCCAGTGGGGTCGGG GGCCCACCCCAGCTGGGGGACCCCATGCAGGCTGATGGGCCCCGGGGCTGCCGTTTTGCTGGGCAGTGGTTCCC AGAGAGTCAGAGCTGGCACCCCTCAGTGCCCCCTTTTGGAGAGATGAGCTGTATCACCTGCAGATGTGGGGCAGG GGTGCCTCACTGTGAGCGGGATGACTGTTCACTGCCACTGTCCTGTGGCTCGGGGAAGGAGGAGTCGATGCTGTTC GGGAGCAGCCAGAGGGCCAAGTGACCAAGAGGATGGGGCCTGAGCTGGGGAAGGGGTGGCATCGAGGACCTTCTT GCATTCTCCTGTGGGAAGCCCAGTGCCTTTGCTCCTCTGTCCTGCCTCTACTCCCACCCCCACTACCTCTGGGAA CCACAGCTCCACAAGGGGGAGAGGCAGCTGGGCCAGACCGAGGTCACAGCCACTCCAAGTCCTGCCCTGCCACCC TCGGCCTCTGTCCTGGAAGCCCCACCCCTTTCCTCCTGTACATAATGTCACTGGCTTGTTGGGATTTTTAATTTA TCTTCACTCAGCACCAAGGGCCCCCGACACTCCACTCCTGCTGCCCCTGAGCTGAGCAGAGTCATTATTGGAGAG

><subunit 1 of 1, 954 aa, 1 stop

><MW: 101960, pI: 8.21, NX(S/T): 5

MPSLPAPPAPLLLLGLLLLGSRPARGAGPEPPVLPIRSEKEPLPVRGAAGCTFGGKVYALDF TWHPDLGOPFGVMRCVLCACEAPOWGRRTRGPGRVSCKNIKPECPTPACGOPROLPGHCCOT CPQERSSSERQPSGLSFEYPRDPEHRSYSDRGEPGAEERARGDGHTDFVALLTGPRSQAVAR ARVSLLRSSLRFSISYRRLDRPTRIRFSDSNGSVLFEHPAAPTQDGLVCGVWRAVPRLSLRL LRAEOLHVALVTLTHPSGEVWGPLIRHRALAAETFSAILTLEGPPOOGVGGITLLTLSDTED SLHFLLLFRGLLEPRSGGLTQVPLRLQILHQGQLLRELQANVSAQEPGFAEVLPNLTVQEMD WLVLGELQMALEWAGRPGLRISGHIAARKSCDVLQSVLCGADALIPVQTGAAGSASLTLLGN GSLIYQVQVVGTSSEVVAMTLETKPQRRDQRTVLCHMAGLQPGGHTAVGICPGLGARGAHML LQNELFLNVGTKDFPDGELRGHVAALPYCGHSARHDTLPVPLAGALVLPPVKSQAAGHAWLS LDTHCHLHYEVLLAGLGGSEQGTVTAHLLGPPGTPGPRRLLKGFYGSEAQGVVKDLEPELLR HLAKGMASLMITTKGSPRGELRGQVHIANQCEVGGLRLEAAGAEGVRALGAPDTASAAPPVV PGLPALAPAKPGGPGRPRDPNTCFFEGQQRPHGARWAPNYDPLCSLCTCQRRTVICDPVVCP PPSCPHPVQAPDQCCPVCPEKQDVRDLPGLPRSRDPGEGCYFDGDRSWRAAGTRWHPVVPPF GLIKCAVCTCKGGTGEVHCEKVQCPRLACAQPVRVNPTDCCKQCPVGSGAHPQLGDPMQADG PRGCRFAGQWFPESQSWHPSVPPFGEMSCITCRCGAGVPHCERDDCSLPLSCGSGKESRCCS RCTAHRRPPETRTDPELEKEAEGS

Signal sequence.

amino acids 1-23

N-glycosylation sites.

amino acids 217-221, 351-355, 365-369, 434-438

Tyrosine kinase phosphorylation sites.

amino acids 145-153, 778-786

N-myristoylation sites.

amino acids 20-26, 47-53, 50-56, 69-75, 73-79, 232-238, 236-242, 390-396, 422-428, 473-479, 477-483, 483-489, 489-495, 573-579, 576-582, 580-586, 635-641, 670-676, 773-779, 807-813, 871-877, 905-911

Amidation site.

amino acids 87-91

Cell attachment sequence.

amino acids 165-168

Leucine zipper pattern.

amino acids 315-337

GGCGGAGCAGCCTAGCCGCCACCGTCGCTCTCGCAGCTCTCGTCGCCACTGCCACCGCCGCCGCCGTCACTGCG TGCCCGCGCTGGCCTGCTGCTGCTGCTCGGAGCGGGCCCCGAGGCAGCTCCCTGGCCAACCCGGTGCCCG AGCCGGACCCGCAGCACCCCGCCGCCGCGAGCCTGCCTACAGCTGCACCTGCCCCGCCGGGATCTCCGGCG GCAGCAGCGATGGCTACCTCTGCATTTGCAATGAAGGCTATGAAGGTCCCAACTGTGAACAGGCACTTCCCAGTC TCCCAGCCACTGGCTGGACCGAATCCATGGCACCCCGACAGCTTCAGCCTGTTCCTGCTACTCAGGAGCCTGACA AAATCCTGCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGGCAGCCGAAAACAGGGCAGAAAGTTGTAGAAA TGAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCTGTGGGAATGCCAGTTCTAACAGCTCTGCGGGTGGCC GCCTGGTATCCTTTGAAGTGCCACAGAACACCTCAGTCAAGATTCGGCAAGATGCCACTGCCTCACTGATTTTGC TCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAGTGTGACCCCCCTTCAGGCTT CAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGAATAATCACTTTATTGGTTTTTGTGAATGATTCTG TGACTAAGTCTATTGTGGCTTTGCGCTTAACTCTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACG CAAATGACTTGGAGTGTTCAGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTG AGGAGCAGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACGCGAGCT GTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTCACCTGTGTTTTGCCTTCCTGGTTATACTGGAGAGCTTT GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT ${\tt TCACCTGCCAGTGTCCAGAAGGATACTTCGGATCTGCTTGTGAAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGTTCCGTTCCGTTCCGGTTGCCGTTGCGGAGGAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGTTCCGGTTCCGGTTCCGGTTCCGGTTCTCGGAGGAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGGTTCCGGTTCTCGGAGGAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGGTTCCGGTTCTCGGATCTCGGAGGAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGGTTCCGGTTCTCGGAGGAGAAAAGGTTGGACCCCTGCGCCTCGTCTCCGGTTCTCGGATCTCGGATCTCGGAGGAGAAAAGGTTGGACCCCTGCGCCTCGTCTCCGGTTCTCGGTTCTCGGATCTCGGATCTCGGATCTCGGTTCTCGGATCTGATCTCGGATCTCGGATCTTGATCTGATCTTCGATCTGAT$ GCCAGAACAACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCGGGCTTCACAGGGCCGA CCTGTGCCCAGCTTATTGACTTCTGTGCCCTCAGCCCCTGTGCTCATGGCACGTGCCGCAGCGTGGGCACCAGCT ACAAATGCCTCTGTGATCCAGGTTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT ACTGTGAATTGTACAAGGATCCCTGCGCTAACGTCAGCTGTCTGAACGGAGCCACCTGTGACAGCGACGGCCTGA CAAACTGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGCCGAGAGAGCCTCACCAACATGCCACGGCACTCCC TCTACATCATCATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA TCAGCCGCATTGAATACCAGGGTTCTTCCAGGCCAGCCTATGAGGAGTTCTACAACTGCCGCAGCATCGACAGCG GCCCCATCGCCTATGAAGATTACAGTCCTGATGACAAACCCTTGGTCACACTGATTAAAACTAAAGATTTGTAAT CTTTTTTTGGATTATTTTCAAAAAGATGAGATACTACACTCATTTAAATATTTTTAAGAAAATAAAAAGCTTAA GAAATTTAAAATGCTAGCTGCTCAAGAGTTTTCAGTAGAATATTTAAGAACTAATTTTCTGCAGCTTTTAGTTTG GAAAAAATATTTTAAAAACAAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGCTCTCTAAACTGT GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAATTTCTGTGGTTGTTACA GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAGTGCCGGCTTTCTGAGTAGAGTTAGGAAAACCAC GTAACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAAGAAGTCTGAAATGTTCGTTTTGTGGAAA TTTGTGGCTGTATTTGATTGATATGTGCTTCTTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC **AAGTCA**

><subunit 1 of 1, 737 aa, 1 stop

><MW: 78475, pI: 5.09, NX(S/T): 11

MQPRRAQAPGAQLLPALALLLLLLGAGPRGSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSR PEPDPQHPAPAGEPGYSCTCPAGISGANCQLVADPCASNPCHHGNCSSSSSSSSDGYLCICN EGYEGPNCEQALPSLPATGWTESMAPRQLQPVPATQEPDKILPRSQATVTLPTWQPKTGQKV VEMKWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQ QCSLIDGRSVTPLQASGGLVLLEEMLALGNNHFIGFVNDSVTKSIVALRLTLVVKVSTCVPG ESHANDLECSGKGKCTTKPSEATFSCTCEEQYVGTFCEEYDACQRKPCQNNASCIDANEKQD GSNFTCVCLPGYTGELCQSKIDYCILDPCRNGATCISSLSGFTCQCPEGYFGSACEEKVDPC ASSPCQNNGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGTSYKCLCDPG YHGLYCEEYNECLSAPCLNAATCRDLVNGYECVCLAEYKGTHCELYKDPCANVSCLNGATC DSDGLNGTCICAPGFTGEECDIDINECDSNPCHHGGSCLDQPNGYNCHCPHGWVGANCEIHL QWKSGHMAESLTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGSSRPAYEEFYN CRSIDSEFSNAIASIRHARFGKKSRPAMYDVSPIAYEDYSPDDKPLVTLIKTKDL

Signal sequnce.

amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-glycosylation sites.

amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365, 375-379, 442-446, 549-553, 564-568

Glycosaminoglycan attachment site.

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.

amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209, 373-379, 449-455, 480-486, 562-568, 565-571

Amidation site.

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.

amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466, 491-503, 529-541, 567-579, 605-617

CTCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAAGTGTGA
CCCCCCTTTCAGGCTTTCAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGAATA
ATCACTTTATTGGTTTTGTGAATGATTCTGTGACTAAGTCTATTGTGGCTTTACCT
CTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACGCAAATGACTTGGAGTGTTC
AGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTGAGGAGC
AGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAAC
GCGAGCTGTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTCACCTGTGTTTGCCTTCC
TGGTTATACTGGAGAGCCTTTGCCAACCGAACTGAGATTGGAGCGAACGACCTACACCGAACT
GAGATAGGGGAG

CTCTGGAAGGTCACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAAGTGTGA
CCCCCCTTTCAGGCTTTCAGGGGGACTGGTCCTCCTGGAGGAGATGCTCGCCTTGGGGAATA
ATCACTTTATTGGTTTTGTGAATGATTCTGTGACTAAGTCTATTGTGGCTTTACCT
CTGGTGGTGAAGGTCAGCACCTGTGTGCCGGGGGAGAGTCACGCAAATGACTTGGAGTGTTC
AGGAAAAGGAAAATGCACCACGAAGCCGTCAGAGGCAACTTTTTCCTGTACCTGTGAGGAGC
AGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCAAC
GCGAGCTGTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTCACCTGTGTTTGCCTTCC
TGGTTATACTGGAGAGCTTTGCCAACCGAACTGAGATTGGAGCGAACGACCTACACCGAACT
GAGATAGGGGAG

GCTGAGTCTGCTGCTGCTGCTGCTCCAGCCTGTAACCTGTGCCTACACCACGCCAG GCCCCCCAGAGCCCTCACCACGCTGGGCGCCCCCAGAGCCCACACCATGCCGGGCACCTAC GCTCCCTCGACCACACTCAGTAGTCCCAGCACCCAGGGCCTGCAAGAGCAGCACGGGCCCT GATGCGGGACTTCCCGCTCGTGGACGGCCACAACGACCTGCCCCTGGTCCTAAGGCAGGTTT ACCAGAAAGGGCTACAGGATGTTAACCTGCGCAATTTCAGCTACGGCCAGACCAGCCTGGAC AGGCTTAGAGATGGCCTCGTGGGCGCCCAGTTCTGGTCAGCCTATGTGCCATGCCAGACCCA GGACCGGGATGCCCTGCGCCTCACCCTGGAGCAGATTGACCTCATACGCCGCATGTGTGCCT CCTATTCTGAGCTGGAGCTTGTGACCTCGGCTAAAGCTCTGAACGACACTCAGAAATTGGCC TGCCTCATCGGTGTAGAGGGTGGCCACTCGCTGGACAATAGCCTCTCCATCTTACGTACCTT CTACATGCTGGGAGTGCGCTACCTGACGCTCACCCACACCTGCAACACCCTGGGCAGAGA AAGGTGGTGGCAGAAATGAACCGCCTGGGCATGATGGTAGACTTATCCCATGTCTCAGATGC TGTGGCACGGCGGCCCTGGAAGTGTCACAGGCACCTGTGATCTTCTCCCACTCGGCTGCCC GGGGTGTGTGCAACAGTGCTCGGAATGTTCCTGATGACATCCTGCAGCTTCTGAAGAAGAAC GGTGGCGTCGTGATGGTCTTTGTCCATGGGAGTAATACAGTGCAACCCATCAGCCAATGT GTCCACTGTGGCAGATCACTTCGACCACATCAAGGCTGTCATTGGATCCAAGTTCATCGGGA TTGGTGGAGATTATGATGGGGCCGGCAAATTCCCTCAGGGGCTGGAAGACGTGTCCACATAC CCGGTCCTGATAGAGGAGTTGCTGAGTCGTGGCTGGAGTGAGGAAGAGCTTCAGGGTGTCCT TCGTGGAAACCTGCTGCGGGTCTTCAGACAAGTGGAAAAGGTACAGGAAGAAÂACAAATGGC AAAGCCCCTTGGAGGACAAGTTCCCGGATGAGCAGCTGAGCAGTTCCTGCCACTCCGACCTC TCACGTCTGCGTCAGAGACAGAGTCTGACTTCAGGCCAGGAACTCACTGAGATTCCCATACA CTGGACAGCCAAGTTACCAGCCAAGTGGTCAGTCTCAGAGTCCTCCCCCCACATGGCCCCAG ${\tt TCCTTGCAGTTGTGGCCACCTTCCCAGTCCTTATTCTGTGGCTC}{\tt TGA}{\tt TGACCCAGTTAGTCC}$ TGCCAGATGTCACTGTAGCAAGCCACAGACACCCCACAAAGTTCCCCTGTTGTGCAGGCACA AATATTTCCTGAAATAAATGTTTTGGACATAG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA35595</pre>

<subunit 1 of 1, 433 aa, 1 stop

<MW: 47787, pI: 6.11, NX(S/T): 5

MPGTYAPSTTLSSPSTQGLQEQARALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYG
QTSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCASYSELELVTSAKALND
TQKLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL
TDFGEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQ
LLKKNGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLE
DVSTYPVLIEELLSRGWSEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSS
CHSDLSRLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHMAPVLAVVATFPVLILWL

N-glycosylation sites.

amino acids 58-62, 123-127, 182-186, 273-277

N-myristoylation sites.

amino acids 72-78, 133-139, 234-240, 264-270, 334-340, 389-395

Renal dipeptidase active site.

amino acids 134-157

AAAACCTATAAATATTCCGGATTATTCATACCGTCCCACCATCGGGCGCGGATCCGCGGCCG CGAATTCTAAACCAACATGCCGGGCACCTACGCTCCCTCGACCACACTCAGTAGTCCCAGCA ${\tt CCCAGGGCCTGCAAGAGCAGGCACGGGCCCTGATGCGGGACTTCCCGCTCGTGGACGGCCAC}$ AACGACCTGCCCCTGGTCCTAAGGCAGGTTTACCAGAAAGGGCTACAGGATGTTAACCTGCG CAATTTCAGCTACGGCCAGACCAGCCTGGACAGGCTTAGAGATGGCCTCGTGGGCGCCCAGT TCTGGTCAGCCTATGTGCCATGCCAGACCCAGGACCGGGATGCCCTGCGCCTCACCCTGGAG ${\tt CAGATTGACCTCATACGCCGCATGTGTGCCTCCTATTCTGAGCTGGAGCTTGTGACCTCGGC}$ TAAAGCTCTGAACGACACTCAGAAATTGGCCTGCCTCATCGGTGTAGAGGGTGGCCACTCGC TGGACAATAGCCTCTCCATCTTACGTACCTTCTACATGCTGGGAGTGCGCTACCTGACGCTC ACCCACACCTGCAACACCCTGGGCAGAGAGCTCCGCTAAGGGCGTCCACTCCTTCTACAA CAACATCAGCGGGCTGACTTTGGTGAGAAGGTGGTGGCAGAAATGAACCGCCTGGGCA TGATGGTAGACTTATCCCATGTCTCAGATGCTGTGGCACGGCGGCCCTGGAAGTGTCACAG GCACCTGTGATCTTCTCCCACTCGGCTGCCCGGGGTGTGTGCAACAGTGCTCGGAATGTTCC TGATGACATCCTGCAGCTTCTGAAGAAGAACGGTGGCGTCGTGATGGTGTCTTTGTCCATGG GAGTAATACAGTGCAACCCATCAGCCAATGTGTCCACTGTGGCAGATCACTTCGACCACATC AAGGCTGTCATTGGATCCAAGTTCATCGGGATTGGTGGAGATTATGATGGGGCCGGCAAATT CCCTCAGGGGCTGGAAGACGTGTCCACATACCCGGTCCTGATAGAGGAGTTGCTGAGTCGTG GCTGGAGTGAGGAAGAGCTTCAGGGTGTCCTTCGTGGAAACCTGCTGCGGGTCTTCAGACAA GTGGAAAAGGTACAGGAAGAAACAAATGGCAAAGCCCCTTGGAGGACAAGTTCCCGGATGA GCAGCTGAGCAGTTCCTGCCACTCCGACCTCTCACGTCTGCGTCAGAGACAGAGTCTGACTT CAGGCCAGGAACTCACTGAGATTCCCATACACTGGACAGCCAAGTTACCAGCCAAGTGGTCA GTCTCAGAGTCCTCCCCCCACCCTGACAAAACTCACACATGCCCACCGTGCCCAGCACCTGA ACTCCTGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACC

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA35872</pre>

><subunit 1 of 1, 446 aa, 0 stop

><NX(S/T):5

MPGTYAPSTTLSSPSTQGLQEQARALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYG
QTSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCASYSELELVTSAKALND
TQKLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGL
TDFGEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQ
LLKKNGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLE
DVSTYPVLIEELLSRGWSEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSS
CHSDLSRLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHPDKTHTCPPCPAPELLGGP
SVFLFPPKPKDT

CGCCAGCGACGTGCGGGCGGCCTGGCCCGCGCCCTCCCGCGCCCTGCGTCCCGCGCC CTGCGCCACCGCCGCGCGCGCGCGCGCGCCCCCGGCAGCCCCCATGCCC GCCGGCCGCCGGCCCCCCCCCAATCCGCGCGGCCGCCGCCGTTGCTGCCCCTGCT GCTGCTGCTCTGCGTCCTCGGGGCCCCGCGAGCCGGATCAGGAGCCCACACACCTGTGATCA GTCCCCAGGATCCCACGCTTCTCATCGGCTCCTCCCTGCTGGCCACCTGCTCAGTGCACGGA TGAGCTCTCCCGTGTACTCAACGCCTCCACCTTGGCTCTGGCCCTGGCCAACCTCAATGGGT TCCTGCCTCTATGTTGGCCTGCCCCCAGAGAAACCCGTCAACATCAGCTGCTGGTCCAAGAA CATGAAGGACTTGACCTGCCGCTGGACGCCAGGGGCCCACGGGGAGACCTTCCTCCACACCA ACTACTCCCTCAAGTACAAGCTTAGGTGGTATGGCCAGGACAACACATGTGAGGAGTACCAC ACAGTGGGGCCCCACTCCTGCCACATCCCCAAGGACCTGGCTCTTTTACGCCCTATGAGAT CTGGGTGGAGGCCACCAACCGCCTGGGCTCTGCCCGCTCCGATGTACTCACGCTGGATATCC TGGATGTGGTGACCACGGACCCCCGCCCGACGTGCACGTGAGCCGCGTCGGGGGCCTGGAG GACCAGCTGAGCGTGCGCTGGGTGTCGCCACCCGCCCTCAAGGATTTCCTCTTTCAAGCCAA ATACCAGATCCGCTACCGAGTGGAGGACAGTGTGGACTGGAGGAGGTGGACGATGTGAGCA ACCAGACCTCCTGCCGCCTGGCCGGCCTGAAACCCGGCACCGTGTACTTCGTGCAAGTGCGC AAGAAGCACGCGTACTGCTCCAACCTCAGCTTCCGCCTCTACGACCAGTGGCGAGCCTGGAT GCAGAAGTCGCACAAGACCCGCAACCAGGACGAGGGGATCCTGCCCTCGGGCAGACGGGGCA CGGCGAGAGGTCCTGCCAGA**TAA**GCTGTAGGGGCTCAGGCCACCCTCCCTGCCACGTGGAGA CGCAGAGCCGAACCCAAACTGGGGCCACCTCTGTACCCTCACTTCAGGGCACCTGAGCCAC CCTCAGCAGGAGCTGGGGTGGCCCCTGAGCTCCAACGGCCATAACAGCTCTGACTCCCACGT ${\tt CTAGAACCCCTGCCAGGGCTGGGGGTGAGAAGGGGAGTCATTACTCCCCATTACCTAGGGCC}$

><ss.DNA38113

><subunit 1 of 1, 422 aa, 1 stop

><MW: 46302, pI: 9.42, NX(S/T): 6

MPAGRRGPAAQSARRPPPLLPLLLLLCVLGAPRAGSGAHTAVISPQDPTLLIGSSLLATCSV
HGDPPGATAEGLYWTLNGRRLPPELSRVLNASTLALALANLNGSRQRSGDNLVCHARDGSIL
AGSCLYVGLPPEKPVNISCWSKNMKDLTCRWTPGAHGETFLHTNYSLKYKLRWYGQDNTCEE
YHTVGPHSCHIPKDLALFTPYEIWVEATNRLGSARSDVLTLDILDVVTTDPPPDVHVSRVGG
LEDQLSVRWVSPPALKDFLFQAKYQIRYRVEDSVDWKVVDDVSNQTSCRLAGLKPGTVYFVQ
VRCNPFGIYGSKKAGIWSEWSHPTAASTPRSERPGPGGGACEPRGGEPSSGPVRRELKQFLG
WLKKHAYCSNLSFRLYDQWRAWMQKSHKTRNQDEGILPSGRRGTARGPAR

Signal sequence.

amino acids 1-30

Transmembrane domain.

amino acids 44-61

N-glycosylation sites.

amino acids 92-96, 104-108, 140-144, 168-172, 292-296, 382-386

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 413-417

N-myristoylation sites.

amino acids 30-36, 37-43, 73-79, 121-127, 179-185, 218-224, 300-306, 317-323, 320-326, 347-353, 355-361, 407-413

Amidation site.

amino acids 3-7, 79-83, 411-415

Growth factor and cytokines receptors family signature 2. amino acids 325-331

CCCACGCGTCCGCTGGTGTTAGATCGAGCAACCCTCTAAAAGCAGTTTAGAGTGGTAAAAAA AAAAAAAACACCAAACGCTCGCAGCCACAAAAGGGATGAAATTTCTTCTGGACATCCTC CTGCTTCTCCCGTTACTGATCGTCTGCTCCCTAGAGTCCTTCGTGAAGCTTTTTATTCCTAA GAGGAGAAAATCAGTCACCGGCGAAATCGTGCTGATTACAGGAGCTGGGCATGGAATTGGGA CATGGACTGGAGGAAACAGCTGCCAAATGCAAGGGACTGGGTGCCAAGGTTCATACCTTTGT GGTAGACTGCAGCAACCGAGAAGATATTTACAGCTCTGCAAAGAAGGTGAAGGCAGAAATTG CAAGATCCTCAGATTGAAAAGACTTTTGAAGTTAATGTACTTGCACATTTCTGGACTACAAA GGCATTTCTTCCTGCAATGACGAAGAATAACCATGGCCATATTGTCACTGTGGCTTCGGCAG TTTCATAAAACTTTGACAGATGAACTGGCTGCCTTACAAATAACTGGAGTCAAAACAACATG TCTGTGTCCTAATTTCGTAAACACTGGCTTCATCAAAAATCCAAGTACAAGTTTGGGACCCA CCTGGCAGTTTTAAAACGAAAAATCAGTGTTAAGTTTGATGCAGTTATTGGATATAAAATGA AAGCGCAA**TAA**GCACCTAGTTTTCTGAAAACTGATTTACCAGGTTTAGGTTGATGTCATCTA ATAGTGCCAGAATTTTAATGTTTGAACTTCTGTTTTTTCTAATTATCCCCATTTCTTCAATA TCATTTTTGAGGCTTTGGCAGTCTTCATTTACTACCACTTGTTCTTTAGCCAAAAGCTGATT ACATATGATATAAACAGAGAAATACCTTTAGAGGTGACTTTAAGGAAAATGAAGAAAAAGAA CCAAAATGACTTTATTAAAATAATTTCCAAGATTATTTGTGGCTCACCTGAAGGCTTTGCAA AATTTGTACCATAACCGTTTATTTAACATATATTTTTATTTTTGATTGCACTTAAATTTTTGT TGAAGGACTATATCTAGTGGTATTTCACAATGAATATCATGAACTCTCAATGGGTAGGTTTC ATCCTACCCATTGCCACTCTGTTTCCTGAGAGATACCTCACATTCCAATGCCAAACATTTCT GCACAGGGAAGCTAGAGGTGGATACACGTGTTGCAAGTATAAAAGCATCACTGGGATTTAAG

</usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA34436</pre>

<subunit 1 of 1, 300 aa, 1 stop

<MW: 32964, pI: 9.52, NX(S/T): 1

MKFLLDILLLPLLIVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSK LVLWDINKHGLEETAAKCKGLGAKVHTFVVDCSNREDIYSSAKKVKAEIGDVSILVNNAGVV YTSDLFATQDPQIEKTFEVNVLAHFWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYC SSKFAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVVNRLMH GILTEQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMKAQ

Signal sequence.

amino acids 1-19

Transmembrane domain.

amino acids 170-187

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 30-34, 283-287

N-myristoylation sites.

amino acids 43-49, 72-78, 122-128, 210-216

GACTAGTTCTCTTGGAGTCTGGGAGGAGGAAAGCGGAGCCGGCAGGAGCGAACCAGGACTG GGGTGACGCCAGGGGGGCCCTGGCCGGGGAGAAGCGCGGGGGCTGGAGCACCAC ${\tt CTGGAGGGTCCGGAGTAGCGACGCCCCGAAGGAGGCCATCGGGGAGCCGGGAGGGGGGGACT}$ GCGAGAGGACCCCGGCGTCCGGGCTCCCGGTGCCAGCGCTATGAGGCCACTCCTCGTCCTGC TGCTCCTGGGCCTGGCCGGCTCGCCCCCACTGGACGACAAGATCCCCAGCCTCTGC CCGGGGCACCCCGGCCTTCCAGGCACGCCGGGCCACCATGGCAGCCAGGGCTTGCCGGGCCG CGATGGCCGCGACGCCGCGCGCCCCGGGGCTCCGGGAGAAAAGGCGAGGGCGGGA GGCCGGGACTGCCGGGACCTCGAGGGGACCCCGGGCCGCGAGGAGGCGGGACCCGCGGGG CCCACCGGGCCTGCCGGGGGGTGCTCGGTGCCTCCGCGATCCGCCTTCAGCGCCAAGCGCTC CGAGAGCCGGGTGCCTCCGCCGTCTGACGCACCCTTGCCCTTCGACCGCGTGCTGAACG AGCAGGGACATTACGACGCCGTCACCGGCAAGTTCACCTGCCAGGTGCCTGGGGTCTACTAC TTCGCCGTCCATGCCACCGTCTACCGGGCCAGCCTGCAGTTTGATCTGGTGAAGAATGGCGA ATTGGCATCTATGCCAGCATCAAGACAGCAGCACCTTCTCCGGATTTCTGGTGTACTCCGA $\tt CTGGCACAGCTCCCCAGTCTTTGCT{\color{red}{TAG}} TGCCCACTGCAAAGTGAGCTCATGCTCACTCC$ TAGAAGGAGGGTGTGAGGCTGACAACCAGGTCATCCAGGAGGGCTGGCCCCCCTGGAATATT GTGAATGACTAGGGAGGTGGGGTAGAGCACTCTCCGTCCTGCTGCTGCAAGGAATGGGAAC AGTGGCTGTCTGCGATCAGGTCTGGCAGCATGGGGCAGTGGCTGGATTTCTGCCCAAGACCA GAGGAGTGTGCTGCTGCCAAGTGTAAGTCCCCCAGTTGCTCTGGTCCAGGAGCCCACGGT GGGGTGCTCTCTTGCTGCTCTTCTTGGATCCTCCCACCCCCTCCTGCTCCTGGG ΑΑΑΑΑΑΑΑΑΑΑ

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40592</pre>

><subunit 1 of 1, 243 aa, 1 stop

>< MW: 25298, pI: 6.44, NX(S/T): 0

MRPLLVLLLLGLAAGSPPLDDNKIPSLCPGHPGLPGTPGHHGSQGLPGRDGRDGAPGAP
GEKGEGGRPGLPGPRGDPGPRGEAGPAGPTGPAGECSVPPRSAFSAKRSESRVPPPSDAPLP
FDRVLVNEQGHYDAVTGKFTCQVPGVYYFAVHATVYRASLQFDLVKNGESIASFFQFFGGWP
KPASLSGGAMVRLEPEDQVWVQVGVGDYIGIYASIKTDSTFSGFLVYSDWHSSPVFA

Signal sequence.

amino acids 1-15

N-myristoylation sites.

amino acids 11-17, 68-74, 216-222

Cell attachment sequence.

amino acids 77-80

AAACAAGCCGGGTGGCTGAGCCAGGCTGTGCACGGAGCACCTGACGGGCCCAACAGACCCAT **G**CTGCATCCAGAGACCTCCCCTGGCCGGGGGCATCTCCTGGCTGTGCTCCTTGGCCCTCCTTG GCACCACCTGGGCAGAGGTGTGGCCACCCCAGCTGCAGGAGCAGGCTCCGATGGCCGGAGCC ${\tt CTGAACAGGAAGGAGGTTTCTTGCTCCTCTCCCTGCACAACCGCCTGCGCAGCTGGGTCCA}$ GCCCCTGCGGCTGACATGCGGAGGCTGGACTGGAGTGACAGCCTGGCCCAACTGGCTCAAG CCAGGGCAGCCTCTGTGGAATCCCAACCCCGAGCCTGGCATCCGGCCTGTGGCGCACCCTG CAAGTGGGCTGGAACATGCAGCTGCTGCCGGGGGCTTGGCGTCCTTTGTTGAAGTGGTCAG CCTATGGTTTGCAGAGGGGCAGCGGTACAGCCACGCGGCAGGAGAGTGTGCTCGCAACGCCA CCTGCACCCACTACACGCAGCTCGTGTGGGCCACCTCAAGCCAGCTGGGCTGTGGGCGCAC CTGTGCTCTGCAGGCCAGACAGCGATAGAAGCCTTTGTCTGTGCCTACTCCCCCGGAGGCAA CTGGGAGGTCAACGGGAAGACAATCATCCCCTATAAGAAGGGTGCCTGGTGTTCGCTCTGCA CAGCCAGTGTCTCAGGCTGCTTCAAAGCCTGGGACCATGCAGGGGGGCTCTGTGAGGTCCCC AGGAATCCTTGTCGCATGAGCTGCCAGAACCATGGACGTCTCAACATCAGCACCTGCCACTG CCACTGTCCCCTGGCTACACGGGCAGATACTGCCAAGTGAGGTGCAGCCTGCAGTGTGTGC ACGGCCGGTTCCGGGAGGAGGAGTGCTCGTGCGTCTGTGACATCGGCTACGGGGGAGCCCAG TGTGCCACCAAGGTGCATTTTCCCTTCCACACCTGTGACCTGAGGATCGACGGAGACTGCTT CATGGTGTCTTCAGAGGCAGACACCTATTACAGAGCCAGGATGAAATGTCAGAGGAAAGGCG GGGTGCTGGCCCAGATCAAGAGCCAGAAAGTGCAGGACATCCTCGCCTTCTATCTGGGCCGC CTGGAGACCACCAACGAGGTGACTGACAGTGACTTCGAGACCAGGAACTTCTGGATCGGGCT CACCTACAAGACCGCCAAGGACTCCTTCCGCTGGGCCACAGGGGAGCACCAGGCCTTCACCA GTTTTGCCTTTGGGCAGCCTGACAACCACGGGCTGGTGTGGCTGAGTGCTGCCATGGGGTTT GGCAACTGCGTGGAGCTGCAGGCTTCAGCTGCCTTCAACTGGAACGACCAGCGCTGCAAAAC CCGAAACCGTTACATCTGCCAGTTTGCCCAGGAGCACATCTCCCGGTGGGGCCCAGGGTCCT **GA**GGCCTGACCACATGGCTCCCTCGCCTGCGCGCGCTCTGCTCTGCTTACCTGTCTGC CCACCTGTCTGGAACAAGGGCCAGGTTAAGACCACATGCCTCATGTCCAAAGAGGTCTCAGA CCTTGCACAATGCCAGAAGTTGGGCAGAGAGAGGCCAGGGAGGCCAGTGAGGGCCAGGGAGTG AGTGTTAGAAGAAGCTGGGGCCCTTCGCCTGCTTTTGATTGGGAAGATGGGCTTCAATTAGA TGGCGAAGGAGAGACCCGCCAGTGGTCCAAAAAGGCTGCTCTCTTCCACCTGGCCCAGAC CCTGTGGGGCAGCGGAGCTTCCCTGTGGCATGAACCCCACGGGGTATTAAATTATGAATCAG CTGAAAAAAAAAAAA

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44176</pre>

<subunit 1 of 1, 455 aa, 1 stop

<MW: 50478, pI: 8.44, NX(S/T): 2

MLHPETSPGRGHLLAVLLALLGTTWAEVWPPQLQEQAPMAGALNRKESFLLLSLHNRLRSWV QPPAADMRRLDWSDSLAQLAQARAALCGIPTPSLASGLWRTLQVGWNMQLLPAGLASFVEVV SLWFAEGQRYSHAAGECARNATCTHYTQLVWATSSQLGCGRHLCSAGQTAIEAFVCAYSPGG NWEVNGKTIIPYKKGAWCSLCTASVSGCFKAWDHAGGLCEVPRNPCRMSCQNHGRLNISTCH CHCPPGYTGRYCQVRCSLQCVHGRFREEECSCVCDIGYGGAQCATKVHFPFHTCDLRIDGDC FMVSSEADTYYRARMKCQRKGGVLAQIKSQKVQDILAFYLGRLETTNEVTDSDFETRNFWIG LTYKTAKDSFRWATGEHQAFTSFAFGQPDNHGLVWLSAAMGFGNCVELQASAAFNWNDQRCK TRNRYICQFAQEHISRWGPGS

Signal sequence.

amino acids 1-26

Transmembrane domain.

amino acids 110-124

N-glycosylation sites.

amino acids 144-148, 243-247

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 45-49

N-myristoylation sites.

amino acids 22-28, 99-105, 131-137, 201-207, 213-219, 287-293, 288-294, 331-337, 398-404

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 204-215

EGF-like domain cysteine pattern signature.

amino acids 249-261, 280-292

C-type lectin domain signature.

amino acids 417-442

CGGACGCGTGGGCTGCGCAAAGCGTGTCCCGCGGGTCCCCGAGCGTCCCGCGCCCT CGCCCCGCCATGCTCCTGCTGGGGCTGTGCCTGGGGCTGTCCCTGTGTGTGGGGTCGCA GGAAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAG TCAGACTGTTGCAGAGGCTGAAAACCAAACCTTTGATGACAGAATTCTCAGTGAAGTCTACC ATCATTTCCCGTTATGCCTTCACTACGGTTTCCTGCAGAATGCTGAACAGAGCTTCTGAAGA CCAGGACATTGAGTTCCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGC GTAAAAGAGAAAAGGAATAAAACCACAGAAGAAAATGGAGAGAAGGGGGACTGAAATATTCAG AGCTTCTGCAGTGATTCCCAGCAAGGACAAAGCCGCCTTTTTCCTGAGTTATGAGGAGCTTC TGCAGAGGCGCCTGGGCAAGTACGAGCACAGCATCAGCGTGCGGCCCCAGCAGCTGTCCGGG AGGCTGAGCGTGAATATCCTGGAGAGCGCGGGCATCGCATCCCTGGAGGTGCTGCC GCTTCACAACAGCAGGCAGAGGGGCAGTGGGCGCGGGGAAGATGATTCTGGGCCTCCCCAT CTACTGTCATTAACCAAAATGAAACATTTGCCAACATAATTTTTAAACCTACTGTAGTACAA CAAGCCAGGATTGCCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAG AGAACAGAGCATTGGGGACATCCAGGTTCTAAATGGCTATTTTGTGCACTACTTTGCTCCTA AAGACCTTCCTCCTTTACCCAAGAATGTGGTATTCGTGCTTGACAGCAGTGCTTCTATGGTG GGAACCAAACTCCGGCAGACCAAGGATGCCCTCTTCACAATTCTCCATGACCTCCGACCCCA GGACCGTTTCAGTATCATTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATAT CAGTCACTCCAGACAGCATCAGGGATGGGAAAGTGTACATTCACCATATGTCACCCACTGGA GGCACAGACATCAACGGGGCCCTGCAGAGGGCCATCAGGCTCCTCAACAAGTACGTGGCCCA CAGTGGCATTGGAGACCGGAGCGTGTCCCTCATCGTCTTCCTGACGGATGGGAAGCCCACGG TCGGGGAGACGCACACCCTCAAGATCCTCAACAACACCCGAGAGGCCGCCCGAGGCCCAAGTC TGCATCTTCACCATTGGCATCGGCAACGACGTGGACTTCAGGCTGCTGGAGAAACTGTCGCT GGAGAACTGTGGCCTCACACGGCGCGTGCACGAGGAGGAGGACGCAGGCTCGCAGCTCATCG GGTTCTACGATGAAATCAGGACCCCGCTCCTCTCTGACATCCGCATCGATTATCCCCCCAGC TCAGTGGTGCAGGCCACCAAGACCCTGTTCCCCAACTACTTCAACGGCTCGGAGATCATCAT TGCGGGGAAGCTGGTGGACAGGAAGCTGGATCACCTGCACGTGGAGGTCACCGCCAGCAACA GTAAGAAATTCATCATCCTGAAGACAGATGTGCCTGTGCGGCCTCAGAAGGCAGGGAAAGAT CTGGAGCTACCTCACCACAAAGGAGCTGCTGAGCTCCTGGCTGCAAAGTGACGATGAACCGG AGAAGGAGCGGCTGCGGCAGCCCCAGGCCCTGGCTGTGAGCTACCGCTTCCTCACTCCC CATGTCGGCTGCCATGGGACCCGAACCGGTGGTGCAGAGCGTGCGAGGAGCTGGCACGCAGC CATGGGAGAGATGGTGTTTTTCCTCTCCACCACCTGGGGATACGA**TGA**GAAGATGGCCACCT GCAAGCCAGGAAGACGGCCCTCACCAGACACCATGTCTGCTGGCACCTTGATCTTGGACCTC

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192</pre>

<subunit 1 of 1, 694 aa, 1 stop

<MW: 77400, pI: 9.54, NX(S/T): 6

MLLLGLCLGLSLCVGSQEEAQSWGHSSEQDGLRVPRQVRLLQRLKTKPLMTEFSVKSTIIS
RYAFTTVSCRMLNRASEDQDIEFQMQIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKE
KRNKTTEENGEKGTEIFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLS
VDVNILESAGIASLEVLPLHNSRQRGSGRGEDDSGPPPSTVINQNETFANIIFKPTVVQQAR
IAQNGILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPPLPKNVVFVLDSSASMVGTK
LRQTKDALFTILHDLRPQDRFSIIGFSNRIKVWKDHLISVTPDSIRDGKVYIHHMSPTGGTD
INGALQRAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKILNNTREAARGQVCIF
TIGIGNDVDFRLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVV
QATKTLFPNYFNGSEIIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVTG
SPRPGGDGEGDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTS
MKLRGPVPRMDGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKQNKTKKRHGR
DGVFPLHHLGIR

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

CGGACGCGTGGGGTGCCCGAC**ATG**GCGAGTGTAGTGCTGCCGAGCGGATCCCAGTGTGCGGC CACTGATCCCCACAGGTGATGGGCAGAATCTGTTTACGAAAGACGTGACAGTGATCGAGGGA GAGGTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTCAGCTACTGAA TCCCAACAGGCAGACCATTTATTTCAGGGACTTCAGGCCTTTGAAGGACAGCAGGTTTCAGT TGCTGAATTTTCTAGCAGTGAACTCAAAGTATCATTGACAAACGTCTCAATTTCTGATGAA GGAAGATACTTTTGCCAGCTCTATACCGATCCCCCACAGGAAAGTTACACCACCATCACAGT CCTGGTCCCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGG GGGAACACAGAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGAC CAGTCAGCTGATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGG AGCACCCTGCGGTCACTGGAAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCT CAAGTGCACATTCAGATGACTTATCCTCTACAAGGCTTAACCCGGGAAGGGGACGCGCTTGA GTTAACATGTGAAGCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATG ATGAAATGCCTCAACACGCCGTACTGTCTGGGCCCAACCTGTTCATCAATAACCTAAACAAA ACAGATAATGGTACATACCGCTGTGAAGCTTCAAACATAGTGGGGAAAGCTCACTCGGATTA CCACCACCACCACCACCATCCTTACCATCATCACAGATTCCCGAGCAGGTGAAGAAGGC TCGATCAGGGCAGTGGATCATGCCGTGATCGGTGGCGTCGTGGCGGTGGTGTTCGCCAT GCTGTGCTCATCATCTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTC ATGAAGCCAAAGGAGCCGATGACGCAGCAGACGCAGACACAGCTATAATCAATGCAGAAGGA $\tt GGACAGAACAACTCCGAAGAAAAGAAGAGTACTTCATC {\color{red}{\textbf{TAG}}} ATCAGCCTTTTTGTTTCAAT$ GAGGTGTCCAACTGGCCCTATTTAGATGATAAAGAGACAGTGATATTGG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518</pre>

<subunit 1 of 1, 440 aa, 1 stop

<MW: 48240, pI: 4.93, NX(S/T): 7

MASVVLPSGSQCAAAAAAAAPPGLRLLLLLFSAAALIPTGDGQNLFTKDVTVIEGEVATISC
QVNKSDDSVIQLLNPNRQTIYFRDFRPLKDSRFQLLNFSSSELKVSLTNVSISDEGRYFCQL
YTDPPQESYTTITVLVPPRNLMIDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTELKG
KSEVEEWSDMYTVTSQLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMT
YPLQGLTREGDALELTCEAIGKPQPVMVTWVRVDDEMPQHAVLSGPNLFINNLNKTDNGTYR
CEASNIVGKAHSDYMLYVYDPPTTIPPPTTTTTTTTTTTTTTTLTIITISRAGEEGSIRAVDH
AVIGGVVAVVVFAMLCLLIILGRYFARHKGTYFTHEAKGADDAADADTAIINAEGGQNNSEE
KKEYFI

Signal sequence.

amino acids 1-36

Transmembrane domain.

amino acids 372-393

N-glycosylation sites.

amino acids 65-69, 99-103, 111-115, 163-167, 302-306, 306-310, 430-434

Tyrosine kinase phosphorylation sites.

amino acids 233-240, 319-328

N-myristoylation sites.

amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408, 411-417, 427-433, 428-432

GGGGCGGTGGACGCGGACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCCTCGGGCCCGA $\tt CCGGGACAGAAG{\color{red} ATG} TGCTCCAGGGTCCCTCTGCTGCTGCTGCTGCTCCTGCTACTGGCCCT$ GCACTGCCGCCAGGGGACCACGGTGCCCCGAGACGTGCCACCCGACACGGTGGGGCTGTAC GTCTTTGAGAACGCCATCACCATGCTCGACGCAAGCAGCTTTGCCGGCCTGCCGGGCCTGCA GCTCCTGGACCTGTCACAGAACCAGATCGCCAGCCTGCGCCTGCCCCGCCTGCTGCTGG ACCTCAGCCACAACAGCCTCCTGGCCCTGGAGCCCGGCATCCTGGACACTGCCAACGTGGAG GCGCTGCGCTGGCTGGCTCCAGCAGCTGGACGAGGGGCTCTTCAGCCGCTTGCG CAACCTCCACGACCTGGATGTGTCCGACAACCAGCTGGAGCGAGTGCCACCTGTGATCCGAG GCCTCCGGGGCCTGACGCCTGCGGCTGCCGCAACACCCGCATTGCCCAGCTGCGGCCC GAGGACCTGGCCGGCCTGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGC CCTGCCTGGCGACCTCTCGGGCCTCTTCCCCCGCCTGCGGCTGCTGGCAGCTGCCGCAACC CCTTCAACTGCGTGTGCCCCCTGAGCTGGTTTGGCCCCTGGGTGCGCGAGAGCCACGTCACA CTGGCCAGCCTGAGGAGACGCGCTGCCACTTCCCGCCCAAGAACGCTGGCCGGCTGCTCCT GGAGCTTGACTACGCCGACTTTGGCTGCCCAGCCACCACCACCACCACCACCACCACCA CGAGGCCCGTGGTGCGGGAGCCCACAGCCTTGTCTTCTAGCTTGGCTCCTACCTGGCTTAGC CCCACAGCGCCGGCCACTGAGGCCCCCAGCCCGCCTCCACTGCCCCACCGACTGTAGGGCC TGTCCCCAGCCCAGGACTGCCCACCGTCCACCTGCCTCAATGGGGGCACATGCCACCTGG GGACACGCCACCTGCCTTGTGCCCCGAAGGCTTCACGGGCCTGTACTGTGAGAGC CAGATGGGGCAGGGCACAGCCCTACACCAGTCACGCCGAGGCCACCACGGTCCCT GACCCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGCAGCGCTACCTCC AGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTCACCTATCGCAACCTATCGGGCCCTGAT AAGCGGCTGGTGACGCTGCGACTGCCTGCCTCGCTGAGTACACGGTCACCCAGCTGCG AGGAGGCCTGCGGGGAGGCCCATACACCCCCAGCCGTCCACTCCAACCACGCCCCAGTCACC CCCTTGGAGCCAGGCCGAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCCAGCGGGTCTGA CCTACATCTAAGCCAGAGAGAGACAGGGCAGCTGGGGCCGGGCTCTCAGCCAGTGAGATGGC CAGCCCCTCCTGCTGCCACACCACGTAAGTTCTCAGTCCCAACCTCGGGGATGTGTGCAGA CAGGGCTGTGTGACCACAGCTGGGCCCTGTTCCCTCTGGACCTCGGTCTCCTCATCTGTGAG ATGCTGTGGCCCAGCTGACGAGCCCTAACGTCCCCAGAACCGAGTGCCTATGAGGACAGTGT CCGCCTGCCTCCGCAACGTGCAGTCCCTGGGCACGGGGGCCCTGCCATGTGCTGGTAAC CTCCCGGAAAGAGCAGAGGGGGGGTAGGCGGCTGTGTGACTCTAGTCTTGGCCCCAGG AAGCGAAGGAACAAAAGAAACTGGAAAGGAAGATGCTTTAGGAACATGTTTTGCTTTTTAA AATATATATATATATAAAAGAGATCCTTTCCCATTTATTCTGGGAAGATGTTTTTCAAACTC AGAGACAAGGACTTTGGTTTTTGTAAGACAAACGATGATATGAAGGCCTTTTGTAAGAAAAA ATAAAAAAAAAA

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44804</pre>

<subunit 1 of 1, 598 aa, 1 stop

<MW: 63030, pI: 7.24, NX(S/T): 3

MCSRVPLLLPLLLLALGPGVQGCPSGCQCSQPQTVFCTARQGTTVPRDVPPDTVGLYVFEN GITMLDASSFAGLPGLQLLDLSQNQIASLRLPRLLLLDLSHNSLLALEPGILDTANVEALRL AGLGLQQLDEGLFSRLRNLHDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDLA GLAALQELDVSNLSLQALPGDLSGLFPRLRLLAAARNPFNCVCPLSWFGPWVRESHVTLASP EETRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAP ATEAPSPPSTAPPTVGPVPQPQDCPPSTCLNGGTCHLGTRHHLACLCPEGFTGLYCESQMGQ GTRPSPTPVTPRPPRSLTLGIEPVSPTSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLV TLRLPASLAEYTVTQLRPNATYSVCVMPLGPGRVPEGEEACGEAHTPPAVHSNHAPVTQARE GNLPLLIAPALAAVLLAALAAVGAAYCVRRGRAMAAAAQDKGQVGPGAGPLELEGVKVPLEP GPKATEGGGEALPSGSECEVPLMGFPGPGLQSPLHAKPYI

Signal sequence.

amino acids 1-23

Transmembrane domain.

amino acids 501-522

N-glycosylation sites.

amino acids 198-202, 425-429, 453-457

Tyrosine kinase phosphorylation site.

amino acids 262-270

N-myristoylation sites.

amino acids 23-29, 27-33, 112-118, 273-279, 519-525, 565-571

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 14-25

EGF-like domain cysteine pattern signature.

amino acids 355-367

Leucine zipper pattern.

amino acids 122-144, 194-216

GGCACTAGGACAACCTTCTTCCCTTCTGCACCACTGCCCGTACCCTTACCCGCCCCGCCACC TCCTTGCTACCCCACTCTTGAAACCACAGCTGTTGGCAGGGTCCCCAGCTCATGCCAGCCTC ATCTCCTTTCTTGCTAGCCCCCAAAGGGCCTCCAGGCAACATGGGGGGCCCAGTCAGAGAGC CGGCACTCTCAGTTGCCCTCTGGTTGAGTTGGGGGGCAGCTCTGGGGGGCCGTGGCTTGTGCC ATGGCTCTGCTGACCCAACAACAGAGCTGCAGAGCCTCAGGAGAGAGGTGAGCCGGCTGCA GGGGACAGAGCCCCTCCCAGAATGGGGAAGGGTATCCCTGGCAGAGTCTCCCGGAGCAGA GTTCCGATGCCTGGAAGCCTGGGAGAATGGGGAGAGATCCCGGAAAAGGAGAGCAGTGCTC ACCCAAAAACAGAAGAAGCACCACTGTCCTGCACCTGGTTCCCATTAACGCCACCTCCAA GGATGACTCCGATGTGACAGAGGTGATGTGGCAACCAGCTCTTAGGCGTGGGAGAGGCCTAC GGAGACTCTATTCCGATGTATAAGAAGTATGCCCTCCCACCCGGACCGGGCCTACAACAGCT GCTATAGCGCAGGTGTCTTCCATTTACACCAAGGGGATATTCTGAGTGTCATAATTCCCCGG GCAAGGGCGAAACTTAACCTCTCCCACATGGAACCTTCCTGGGGTTTGTGAAACTG**TGA**TT GAGCTGAGTATATAAAGGAGGGAATGTGCAGGAACAGAGGCATCTTCCTGGGTTTGGCTC CCCGTTCCTCACTTTTCCCTTTTCATTCCCACCCCCTAGACTTTGATTTTACGGATATCTTG CTTCTGTTCCCCATGGAGCTCCG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52722</pre>

<subunit 1 of 1, 250 aa, 1 stop

<MW: 27433, pI: 9.85, NX(S/T): 2

MPASSPFLLAPKGPPGNMGGPVREPALSVALWLSWGAALGAVACAMALLTQQTELQSLRREV SRLQGTGGPSQNGEGYPWQSLPEQSSDALEAWENGERSRKRRAVLTQKQKKQHSVLHLVPIN ATSKDDSDVTEVMWQPALRRGRGLQAQGYGVRIQDAGVYLLYSQVLFQDVTFTMGQVVSREG QGRQETLFRCIRSMPSHPDRAYNSCYSAGVFHLHQGDILSVIIPRARAKLNLSPHGTFLGFVKL

Signal sequence.

amino acids 1-40

N-glycosylation site.

amino acids 124-128

Tyrosine kinase phosphorylation site.

amino acids 156-164

N-myristoylation site.

amino acids 36-42, 40-46, 179-185, 242-248

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 34-45

CACTTTCTCCCTCTCTTTCCTTTCGAGAAACCGCGCTTCCGCTTCTGGTCGCAGAGAC CCGCCCCCACCCTCTTCTGCACTGCCGTCCTCCGGAAGACCTTTTCCCCTGCTCTGTT TCCTTCACCGAGTCTGTGCATCGCCCCGGACCTGGCCGGGAGGAGGCTTGGCCGGCGGAGA TGCTCTAGGGGCGCGGGGGGGGGGCCGGCGGGAGGGCCCGGCAGGAAG**ATG**GGC TCCCGTGGACAGGGACTCTTGCTGGCGTACTGCCTGCTCCTTGCCTTTGCCTCTGGCCTGGT CCTGAGTCGTGTGCCCCATGTCCAGGGGGAACAGCAGGAGTGGGAGGGGACTGAGGAGCTGC CGTCGCCTCCGGACCATGCCGAGAGGGCTGAAGAACATGAAAAATACAGGCCCAGTCAG GACCAGGGGCTCCCTGCTTCCCGGTGCTTGCGCTGCTGTGACCCCGGTACCTCCATGTACCC GGCGACCGCCGTGCCCCAGATCAACATCACTATCTTGAAAGGGGAGAAGGGTGACCGCGGAG ATCGAGGCCTCCAAGGGAAATATGGCAAAACAGGCTCAGCAGGGGCCAGGGGCCACACTGGA CCCAAAGGGCAGAAGGGCTCCATGGGGGCCCCTGGGGAGCGGTGCAAGAGCCACTACGCCGC CTTTTCGGTGGGCCGGAAGAAGCCCATGCACAGCAACCACTACTACCAGACGGTGATCTTCG ACACGGAGTTCGTGAACCTCTACGACCACTTCAACATGTTCACCGGCAAGTTCTACTGCTAC GCACATCATGAAGAACGAGGAGGAGGTGGTGATCTTGTTCGCGCAGGTGGGCGACCGCAGCA TCATGCAAAGCCAGAGCCTGATGCTGGAGCTGCGAGAGCAGGACCAGGTGTGGGTACGCCTC TACAAGGGCGAACGTGAGAACGCCATCTTCAGCGAGGAGCTGGACACCTACATCACCTTCAG ACCTTCCACCCTGCGCTGTGCTGACCCCACCGCCTCTTCCCCGATCCCTGGACTCCGACTC CCTGGCTTTGGCATTCAGTGAGACGCCCTGCACACACAGAAAGCCAAAGCGATCGGTGCTCC CAGATCCCGCAGCCTCTGGAGAGAGCTGACGGCAGATGAAATCACCAGGGCGGGGCACCCGC GAGAACCCTCTGGGACCTTCCGCGGCCCTCTCTGCACACCCTCAAGTGACCCCGCACGGC GAGACGCGGGTGGCGGCAGGGCGTCCCAGGGTGCGCCACCGCGGCTCCAGTCCTTGGAAATA ATTAGGCAAATTCTAAAGGTCTCAAAAGGAGCAAAGTAAACCGTGGAGGACAAAGAAAAGGG ACTCTGCTTAAGAGAAGATCCAAAGTTAAAGCTCTGGGGTCAGGGGAGGGGCCGGGGGCAGG AAACTACCTCTGGCTTAATTCTTTTAAGCCACGTAGGAACTTTCTTGAGGGATAGGTGGACC CTGACATCCCTGTGGCCTTGCCCAAGGGCTCTGCTGGTCTTTCTGAGTCACAGCTGCGAGGT GATGGGGGCTGGGGCCCCAGGCGTCAGCCTCCCAGAGGGACAGCTGAGCCCCCTGCCTTGGC TCCAGGTTGGTAGAAGCAGCCGAAGGGCTCCTGACAGTGGCCAGGGACCCCTGGGTCCCCCA GGCCTGCAGATGTTTCTATGAGGGGCAGAGCTCCTTGGTACATCCATGTGTGGCTCTGCTCC TTCTGTGCCGCCTCCCACACAATCAGCCCCAGAAGGCCCCGGGGCCTTGGCTTCTGTTTTT TATAAAACACCTCAAGCAGCACTGCAGTCTCCCATCTCCTCGTGGGCTAAGCATCACCGCTT CCACGTGTGTTGTTTGGTTGGCAGCAAGGCTGATCCAGACCCCTTCTGCCCCCACTGCCCT CATCCAGGCCTCTGACCAGTAGCCTGAGAGGGGGCTTTTTCTAGGCTTCAGAGCAGGGGAGAG CTGGAAGGGGCTAGAAAGCTCCCGCTTGTCTGTTTCTCAGGCTCCTGTGAGCCTCAGTCCTG AGACCAGAGTCAAGAGGAAGTACACGTCCCAATCACCCGTGTCAGGATTCACTCTCAGGAGC TGGGTGGCAGGAGAGGCAATAGCCCCTGTGGCAATTGCAGGACCAGCTGGAGCAGGGTTGCG GTGTCTCCACGGTGCTCTCGCCCTGCCCATGGCCACCCCAGACTCTGATCTCCAGGAACCCC ATAGCCCCTCTCCACCTCACCCCATGTTGATGCCCAGGGTCACTCTTGCTACCCGCTGGGCC CCCAAACCCCGCTGCCTCTTCCTTCCCCCCCATCCCCCACCTGGTTTTGACTAATCCTGC TTCCCTCTCTGGGCCTGCCGGGATCTGGGGTCCCTAAGTCCCTCTCTTTAAAGAACTT CTGCGGGTCAGACTCTGAAGCCGAGTTGCTGTGGGCGTGCCCGGAAGCAGAGCGCCACACTC GCTGCTTAAGCTCCCCCAGCTCTTTCCAGAAAACATTAAACTCAGAATTGTGTTTTCAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41234</pre>

><subunit 1 of 1, 281 aa, 1 stop

><MW: 31743, pI: 6.83, NX(S/T): 1

MGSRGQGLLLAYCLLLAFASGLVLSRVPHVQGEQQEWEGTEELPSPPDHAERAEEQHEKYRP SQDQGLPASRCLRCCDPGTSMYPATAVPQINITILKGEKGDRGDRGLQGKYGKTGSAGARGH TGPKGQKGSMGAPGERCKSHYAAFSVGRKKPMHSNHYYQTVIFDTEFVNLYDHFNMFTGKFY CYVPGLYFFSLNVHTWNQKETYLHIMKNEEEVVILFAQVGDRSIMQSQSLMLELREQDQVWV RLYKGERENAIFSEELDTYITFSGYLVKHATEP

Signal sequence.

amino acids 1-25

N-glycosylation site.

amino acids 93-97

N-myristoylation sites.

amino acids 7-13, 21-27, 67-73, 117-123, 129-135

Amidation site.

amino acids 150-154

Cell attachment sequence.

amino acids 104-107

GCGGAGCATCCGCTGCGGTCCTCGCCGAGACCCCCGCGCGGATTCGCCGGTCCTTCCCGCGG GCGCGACAGAGCTGTCCTCGCACCTGGATGGCAGCAGGGGCGCCGGGGTCCTCTCGACGCCA GAGAGAAATCTCATCATCTGTGCAGCCTTCTTAAAGCAAACTAAGACCAĠAGGGAGGATTAT CCTTGACCTTTGAAGACCAAAACTAAACTGAAATTTAAAATGTTCTTCGGGGGGAGAAGGGAG CTTGACTTACACTTTGGTAATAATTTGCTTCCTGACACTAAGGCTGTCTGCTAGTCAGAATT GCCTCAAAAAGAGTCTAGAAGATGTTGTCATTGACATCCAGTCATCTCTTTCTAAGGGAATC AGAGGCAATGAGCCCGTATATACTTCAACTCAAGAAGACTGCATTAATTCTTGCTGTTCAAC AAAAAACATATCAGGGGACAAAGCATGTAACTTGATGATCTTCGACACTCGAAAAACAGCTA GACAACCCAACTGCTACCTATTTTTCTGTCCCAACGAGGAAGCCTGTCCATTGAAACCAGCA AAAGGACTTATGAGTTACAGGATAATTACAGATTTTCCATCTTTGACCAGAAATTTGCCAAG CCAAGAGTTACCCCAGGAAGATTCTCTCTTACATGGCCAATTTTCACAAGCAGTCACTCCCC TAGCCCATCATCACACAGATTATTCAAAGCCCACCGATATCTCATGGAGAGACACACTTTCT GCTCCTTGCTTATAAGGAAAAAGGCCATTCTCAGAGTTCACAATTTTCCTCTGATCAAGAAA TAGCTCATCTGCTGCCTGAAAATGTGAGTGCGCTCCCAGCTACGGTGGCAGTTGCTTCTCCA CATACCACCTCGGCTACTCCAAAGCCCGCCACCCTTCTACCCACCAATGCTTCAGTGACACC TTCTGGGACTTCCCAGCCACAGCTGGCCACCACAGCTCCACCTGTAACCACTGTCACTTCTC AGCCTCCACGACCCTCATTTCTACAGTTTTTACACGGGCTGCGGCTACACTCCAAGCAATG GCTACAACAGCAGTTCTGACTACCACCTTTCAGGCACCTACGGACTCGAAAGGCAGCTTAGA AACCATACCGTTTACAGAAATCTCCAACTTAACTTTGAACACAGGGAATGTGTATAACCCTA CTGCACTTTCTATGTCAAATGTGGAGTCTTCCACTATGAATAAAACTGCTTCCTGGGAAGGT AGGGAGGCCAGTCCAGGCAGTTCCTCCCAGGGCAGTGTTCCAGAAAATCAGTACGGCCTTCC ATTTGAAAAATGGCTTCTTATCGGGTCCCTGCTCTTTGGTGTCCTGTTCCTGGTGATAGGCC TCGTCCTCCTGGGTAGAATCCTTTCGGAATCACTCCGCAGGAAACGTTACTCAAGACTGGAT TATTTGATCAATGGGATCTATGTGGACATCTAAGGATGGAACTCGGTGTCTCTTAATTCATT TAGTAACCAGAAGCCCAAATGCAATGAGTTTCTGCTGACTTGCTAGTCTTAGCAGGAGGTTG GCTCTGTTGCCCAGGCTGGAGTGCAGTAGCACGATCTCGGCTCTCACCGCAACCTCCGTCTC CTGGGTTCAAGCGATTCTCCTGCCTCAGCCTCCTAAGTATCTGGGATTACAGGCATGTGCCA CCACACCTGGGTGATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCATGTTGGTCAGGCTG GTCTCAAACTCCTGACCTAGTGATCCACCCTCCTCGGCCTCCCAAAGTGCTGGGATTACAGG CATGAGCCACCACAGCTGGCCCCCTTCTGTTTTATGTTTTGGTTTTTGAGAAGGAATGAAGTG GGAACCAAATTAGGTAATTTTGGGTAATCTGTCTCTAAAATATTAGCTAAAAACAAAGCTCT ATGTAAAGTAATAAGTATAATTGCCATATAAATTTCAAAATTCAACTGGCTTTTATGCAAA GAAACAGGTTAGGACATCTAGGTTCCAATTCATTCACATTCTTGGTTCCAGATAAAATCAAC TGTTTATATCAATTCTAATGGATTTGCTTTTCTTTTTATATGGATTCCTTTAAAACTTATT CCAGATGTAGTTCCTTCCAATTAAATATTTGAATAAATCTTTTGTTACTCAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45410</pre>

><subunit 1 of 1, 431 aa, 1 stop

><MW: 46810, pI: 6.45, NX(S/T): 6

MFFGGEGSLTYTLVIICFLTLRLSASQNCLKKSLEDVVIDIQSSLSKGIRGNEPVYTSTQED
CINSCCSTKNISGDKACNLMIFDTRKTARQPNCYLFFCPNEEACPLKPAKGLMSYRIITDFP
SLTRNLPSQELPQEDSLLHGQFSQAVTPLAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLF
KMDEASAQLLAYKEKGHSQSSQFSSDQEIAHLLPENVSALPATVAVASPHTTSATPKPATLL
PTNASVTPSGTSQPQLATTAPPVTTVTSQPPTTLISTVFTRAAATLQAMATTAVLTTTFQAP
TDSKGSLETIPFTEISNLTLNTGNVYNPTALSMSNVESSTMNKTASWEGREASPGSSSQGSV
PENQYGLPFEKWLLIGSLLFGVLFLVIGLVLLGRILSESLRRKRYSRLDYLINGIYVDI

Signal sequence.

amino acids 1-25

Transmembrane domain.

amino acids 384-405

N-glycosylation sites.

amino acids 72-76, 222-226, 251-255, 327-331, 352-356

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 415-419

Tyrosine kinase phosphorylation site.

amino acids 50-57

N-myristoylation sites.

amino acids 4-10, 48-54, 315-321

GCGGCACCTGGAAGATGCGCCCATTGGCTGGTGGCCTGCTCAAGGTGGTGTTCGTGGTCTTC GCCTCCTTGTGTGCCTGGTATTCGGGGTACCTGCTCGCAGAGCTCATTCCAGATGCACCCCT GTCCAGTGCTGCCTATAGCATCCGCAGCATCGGGGAGAGGCCTGTCCTCAAAGCTCCAGTCC CCAAAAGGCAAAAATGTGACCACTGGACTCCCTGCCCATCTGACACCTATGCCTACAGGTTA CTCAGCGGAGGTGGCAGAAGCAAGTACGCCAAAATCTGCTTTGAGGATAACCTACTTATGGG AGAACAGCTGGGAAATGTTGCCAGAGGAATAAACATTGCCATTGTCAACTATGTAACTGGGA ATGTGACAGCAACACGATGTTTTGATATGTATGAAGGCGATAACTCTGGACCGATGACAAAG TTTATTCAGAGTGCTGCTCCAAAATCCCTGCTCTTCATGGTGACCTATGACGACGGAAGCAC AAGACTGAATAACGATGCCAAGAATGCCATAGAAGCACTTGGAAGTAAAGAAATCAGGAACA TGAAATTCAGGTCTAGCTGGGTATTTATTGCAGCAAAAGGCTTGGAACTCCCTTCCGAAATT ${\tt GATCCAGATAGAAGGCTGCATACCCAAAGAACGAAGC} {\tt TGA} {\tt CACTGCAGGGTCCTGAGTAAAT}$ GTGTTCTGTATAAACAAATGCAGCTGGAATCGCTCAAGAATCTTATTTTCTAAATCCAACA GCCCATATTTGATGAGTATTTTGGGTTTGTTAAACCAATGAACATTTGCTAGTTGTATCA AATCTTGGTACGCAGTATTTTATACCAGTATTTTATGTAGTGAAGATGTCAATTAGCAGGA AACTAAAATGAATGGAAATTCTTAAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46777</pre>

><subunit 1 of 1, 235 aa, 1 stop

><MW: 25982, pI: 9.09, NX(S/T): 2

MRPLAGGLLKVVFVVFASLCAWYSGYLLAELIPDAPLSSAAYSIRSIGERPVLKAPVPKRQK CDHWTPCPSDTYAYRLLSGGGRSKYAKICFEDNLLMGEQLGNVARGINIAIVNYVTGNVTAT RCFDMYEGDNSGPMTKFIQSAAPKSLLFMVTYDDGSTRLNNDAKNAIEALGSKEIRNMKFRS SWVFIAAKGLELPSEIQREKINHSDAKNNRYSGWPAEIQIEGCIPKERS

Signal sequence.

amino acids 1-20

N-glycosylation sites.

amino acids 120-124, 208-212

Glycosaminoglycan attachment site.

amino acids 80-84

N-myristoylation sites.

amino acids 81-87, 108-114, 119-125